



AUSTRALIA PTY LTD

ABN: 83 084 211 772

**Product Code** *A500*

**Product Type** Membrane coating

**Dangerous Goods Classification** Not Applicable

**Physical Properties**

**Appearance** Opaque, viscous liquid. Paint may have slight ammonia odour.

**Specific Gravity** 1.25 % Nonvolatile (by volume): 50

**Solubility in Water** Soluble Boiling Point: > 100°C pH: 8.5

**Fire and explosion**

**Hazard Data**

**Flash Point (method)** Non-flammable

**Extinguishing Media** Non-flammable

**Special Fire Fighting Procedures** Non-flammable

**Hazardous Products of Combustion** Non-flammable.

**Heath Hazard Data**

<b>Hazardous Ingredients</b>	<b>% by volume</b>	<b>CAS Number</b>
Propylene Glycol	less than 10%	57-55-6
Solvent CS12	less than 10%	25265-77-4

**Effects of over exposure**

**Inhalation** If working in confined or unventilated area, may cause mucous membrane irritation.  
Remove to fresh air.

<b>Skin contact</b>	Prolonged contact may cause skin irritation . Wash with soap and water.
<b>Eye contact</b>	Irritant. Wash with water for at least 15 minutes. Seek medical advice.
<b>Ingestion</b>	Irritant. Remove to fresh air. Take a small amount of water. Do not induce vomiting. Seek medical advice.

### **Reactivity Data**

<b>Stability</b>	Stable
<b>Conditions to avoid</b>	N/A
<b>Incompatibility (materials To avoid)</b>	N/A.
<b>Hazardous Products</b>	N/A

### **Spill or leak procedures**

<b>Spillage</b>	Product is water-soluble. Do not allow contaminated water to enter sewers, storm water or streams. Large spills should be soaked into sand and disposed of as a solid waste. Ensure conformity with local waste dumping regulations.
<b>Waste Disposal</b>	Dispose of as a nonflammable liquid waste. Ensure conformity with local waste dumping regulations.

### **Personal Protection**

<b>Respiratory Protection</b>	Wear appropriate mask when spraying.
<b>Ventilation</b>	Use in open air or in ventilated area.
<b>Protective clothing</b>	Use coveralls, gloves and boots. Avoid eye contact.
<b>Special Precautions</b>	Avoid breathing overspray and prolonged skin contact.

### **Handling and storage**

<b>Precautions</b>	Keep containers tightly closed while not in use. Avoid spills during storage and transfer.
--------------------	--

**Manufacturers Name & Address:** Cameleon Paints 26 Paramount Drive, Wangara WA 6065  
Customer Service (08) 9302 2577 Emergency (24 hours): 0413 610 147  
Emergency Advice 13 1126 Poisons Information Centre

Po Box 189 Hillarys WESTERN AUSTRALIA 6923  
PH: (08) 9402 7488 FAX: (08) 9402 7477  
EMAIL: [Insulpaint-Australia@Insulpaint.com.au](mailto:Insulpaint-Australia@Insulpaint.com.au)